

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	53	("20010042104"   "20020091779"   "20030061197"   "20040213209"   "20050078657"   "5555179"   "5765033"   "5796945"   "5835911"   "5867714"   "5926539"   "5946387"   "5953332"   "5953405"   "6002760"   "6021428"   "6035423"   "6038586"   "6044145"   "6044368"   "6047129"   "6055503"   "6067357"   "6092189"   "6108711"   "6117188"   "6134593"   "6138139"   "6167395"   "6170011"   "6175563"   "6175564"   "6185292"   "6226788"   "6237020"   "6256664"   "6256773"   "6263362"   "6269456"   "6282712"   "6301710"   "6345305"   "6373836"   "6389007"   "6393015"   "6408434"   "6421671"   "6477665"   "6513132"   "6519571"   "6556936"   "6732156"   "0655057"). PN.	US-PGPUB; USPAT	AND	ON	2007/09/10 07:33
S1	18	((MIKE) near2 (HOLLATZ)).INV.	US-PGPUB; USPAT	AND	ON	2007/09/10 08:09
S5	54	S3 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/10 10:20
S4	12385	acd or (automatic contact distributor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/10 10:20

S7	244	S3 call server (setting or set) (route or routing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/10 12:55
S6	21	S5 and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/10 12:56
S9	1	("2002/0141404").URPN.	USPAT	AND	ON	2007/09/11 10:05
S10	11	("20020110113"   "20020122547"   "20020141404"   "20030058838"   "6161008"   "6219790"   "6301609"   "6311275"   "6625141"   "6636596"   "6865681").PN. OR ("7242680").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/11 10:07
S3	27079	sip or (session initiation protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 13:00
S11	27097	sip or (session initiation protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 13:01
S15	2	S11 (instant adj message) (encoding or encode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/11 13:03
S8	104	S7 and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 13:03
S16	13	S11 (instant adj message) (converting or conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/11 13:06
S13	336	S11 (instant adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/11 13:06

S12	3	S11 (instant message) (tunneling or tunnel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/11 13:09
S19	38	S18 and ((instant adj message) or IM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 13:10
S14	97	S13 and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 13:10
S17	245	S11 (tunneling or tunnel) protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2007/09/11 13:14
S20	2	jp "2002247130"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:53
S23	239	(709/244).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/09/11 15:55
S22	4743	(370/389).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/09/11 15:55
S21	3204	(709/238).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/09/11 15:55
S25	5878	S24 and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:56
S24	7978	S21 S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/11 15:56

S18	113	S17 and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:56
S28	13	S13 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:57
S27	23	S17 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:57
S26	407	S11 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/09/11 15:57
S30	1	"10/761012"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2009/09/22 10:07
S29	0	"10761012"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2009/09/22 10:07
S31	52	("20040213209"   "20050238162"   "5555179"   "5765033"   "5926539"   "5946387"   "5953332"   "5953405"   "6002760"   "6021428"   "6067357"   "6108711"   "6138139"   "6167395"   "6170011"   "6175564"   "6185292"   "6335927"   "6345305"   "6373836"   "6389007"   "6393015"   "6614781"   "6731625"   "6732156"   "6754181"   "6788779").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2009/09/22 11:23
S32	2	("20040213209").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2009/09/22 11:25

S33	26	(acd (automatic adj contact adj distributor)) same (SI P (session adj3 protocol)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:01
S35	292	(SI P (session adj3 protocol)) same (modif\$4 chang\$3 add\$3) near5 address and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:02
S34	0	(acd (automatic adj contact adj distributor)) same (SI P (session adj3 protocol)) same (modif\$4 chang\$3 add\$3) near5 address and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:02
S36	50	(SI P (session adj3 protocol)) same (modif\$4 chang\$3 add\$3) near5 ((destination called) adj3 (address number)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:03
S38	29	(SI P (session adj3 protocol)) same (modif\$4 chang\$3 add\$3 hid\$3 protect\$3) near5 ((destination called) adj3 (address number)) same server and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:04
S37	52	(SI P (session adj3 protocol)) same (modif\$4 chang\$3 add\$3 hid\$3 protect\$3) near5 ((destination called) adj3 (address number)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:04
S39	5	(SI P (session adj3 protocol)) and (modif\$4 chang\$3 add\$3 hid\$3 protect\$3) near5 ((source originat\$3 call\$3) adj3 (address number)) same (add\$3 substitut\$3) near5 ((server gateway proxy) adj3 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:14

S40	13	(modif\$4 chang\$3 add\$3) near5 ((source originat\$3 call\$3) adj3 (address number)) same (add\$3 substitut\$3) near5 ((server gateway proxy) adj3 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:17
S41	0	(hid\$3) near5 ((source originat\$3 call\$3 send\$3) adj3 (address number)) same (add\$3 substitut\$3) near5 ((server gateway proxy) adj3 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:20
S43	0	(hid\$3 conceal\$3 secret\$3 anonym\$5) near10 ((source originat\$3 call\$3 send\$3) adj3 (address number)) same (add\$3 substitut\$3) near5 ((server gateway proxy) adj3 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:24
S42	0	(hid\$3 conceal\$3 secret\$3 anonym\$5) near5 ((source originat\$3 call\$3 send\$3) adj3 (address number)) same (add\$3 substitut\$3) near5 ((server gateway proxy) adj3 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:24
S44	8	(hid\$3 conceal\$3 secret\$3 anonym\$5) near10 ((source originat\$3 call\$3 send\$3) near5 (address number)) same (add\$3 substitut\$3) near10 ((server gateway proxy) near5 address) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:25
S45	8	(hid\$3 conceal\$3 secret\$3 anonym\$5) near10 ((source originat\$3 call\$3 send\$3) near5 (address number id identification)) same (add\$3 substitut\$3) near10 ((server gateway proxy) near5 (address number id identification)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:30

S47	181	(hid\$3 conceal\$3) near5 ((source originat\$3 call\$3 send\$3) adj3 (address number id identification)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:32
S46	231	(hid\$3 conceal\$3) near10 ((source originat\$3 call\$3 send\$3) adj3 (address number id identification)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:32
S48	10	(hid\$3 conceal\$3) near5 ((source originat\$3 call\$3 send\$3) adj3 (address number id identification)) same (add\$3 substitut\$3) near5 (address number id identification) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/09/22 12:33
S49	0	(SIP (session adj3 protocol)) same (automatic \$3 near5 (call contact) near5 distribut\$3) same server same (select\$3 choos\$3 multi\$3 pluralit \$3) near5 agent and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:08
S50	2	(SIP (session adj3 protocol)) same (automatic \$3 near5 (call contact) near5 distribut\$3) same server same agent and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:09
S52	14	(SIP (session adj3 protocol)) same (automatic \$3 near5 (call contact) near5 distribut\$3) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:24
S51	2	(SIP (session adj3 protocol)) same (automatic \$3 near5 (call contact) near5 distribut\$3) same agent and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:24
S53	3	("7233980").URPN.	USPAT	AND	ON	2010/03/26 18:42
S56	201	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:45

S55	464	(select\$3 determin\$3) near5 agent same (call near5 distribut\$3) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:45
S54	285	(select\$s determin\$3) near5 agent same (call near5 distribut\$3) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:45
S57	2	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same agent near10 idle adj3 time and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:46
S59	0	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (hid\$3 conceal\$3 secret\$3 anonym\$5) near10 (agent) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:56
S58	0	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (hid\$3 conceal\$3 secret\$3 anonym\$5) near10 (address number id identification) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:56
S60	4	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (readdress\$3 chang\$3) near10 (agent) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:57
S61	201	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 18:59
S62	0	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (anonym\$5 readdress\$3 re adj2 address\$3) near10 agent and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:00



S64	0	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (anonym\$5 alias) near10 (id address number) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:01
S63	0	((select\$3 determin\$3) near5 agent) near10 (call near5 distribut\$3) same (anonym\$5 readdress\$3) near10 agent and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:01
S66	0	agent near10 (call near5 distribut\$3) same (anonym\$5 alias) near10 (address number id identification identit\$3) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:02
S65	0	agent near10 (call near5 distribut\$3) same (anonym\$5 alias) near10 (id address number) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:02
S67	1	agent near10 (call near5 distribut\$3) same (anonym\$5 alias) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/26 19:03
S68	14	(SIP (session adj3 protocol)) same (automatic\$3 near5 (call contact) near5 distribut\$3) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/10/08 21:14
S69	4	(hid\$3 conceal\$3) near5 ((source originat\$3 call\$3 send\$3) adj3 (address id identification)) same sip and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/10/08 21:15
S70	305	(SIP (session adj3 protocol)) same (modif\$4 chang\$3 add\$3) near5 address and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/10/08 21:18
S71	0	(SIP (session adj3 protocol)) same (modif\$4 chang\$3 add\$3) near5 address same (automatic\$3 near5 (call contact) near5 distribut\$3) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/10/08 21:20

L2	30	(hid\$3 conceal\$3 protect \$3 replac\$3 chang\$3 modif \$4) near10 ((source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) same sip and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 10:43
L1	7	(hid\$3 conceal\$3 protect \$3) near5 ((source originat \$3 call\$3 send\$3) adj3 (address id identification identit\$3)) same sip and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 10:43
L4	3	"20050100008"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2011/06/10 12:04
L3	4	2005/0100008	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	AND	ON	2011/06/10 12:04
L5	4	(select\$s determin\$3) near5 agent same (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut\$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:04
L6	0	(select\$s determin\$3) near5 agent near10 (call adj2 type) same (SIP (session adj3 protocol)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:20
L8	0	(select\$s determin\$3) near5 (plurality multiple) same (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:29
L7	4	(select\$s determin\$3) near5 (agent representative person) same (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:29

L9	10	(select\$s determin\$3) near5 agent same (SIP (session adj3 protocol)) and ((automatic\$3 near5 (call contact) near5 distribut\$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:31
L12	20	(proxy redirect) adj3 server and (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:36
L11	0	(proxy redirect) adj3 server same buffer adj3 server and (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:36
L10	0	(proxy redirect) adj3 server same buffer adj3 server same (SIP (session adj3 protocol)) and ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:36
L13	6	(proxy redirect) adj3 server same (forward\$3 redirect\$3) near10 call and (SIP (session adj3 protocol)) same ((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:37
L14	694	(hid\$3 conceal\$3 protect \$3) near5 ((resource agent representative source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:49

L16	2	(hid\$3 conceal\$3 protect \$3) near5 ((resource agent representative source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) same ((automatic\$3 near5 (call contact) near5 distribut\$3) ad) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:50
L15	4	(hid\$3 conceal\$3 protect \$3) near5 ((resource agent representative source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) and ((automatic\$3 near5 (call contact) near5 distribut\$3) ad) and @ad< "20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:50
L17	23	(hid\$3 conceal\$3 protect \$3) near5 ((source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:54
L18	25	(hid\$3 conceal\$3 protect \$3) near5 ((source originat\$3 call\$3 send\$3 agent resource representative) adj3 (address id identification identit\$3)) same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 15:55
L31	129	(379/265.13).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2011/06/10 16:43
L30	852	(379/265.02).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2011/06/10 16:43
L29	772	(379/265.01).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2011/06/10 16:43
L33	0	I14 and I32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:44

L32	1564	29 30 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:44
L35	64	I34 and I32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:45
L34	13820	(SIP (session adj3 protocol)) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:45
L37	17	I36 and I32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:46
L36	1013	(SIP (session adj3 protocol)) same ((proxy redirect) adj3 server) and @ad<"20040120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/06/10 16:46

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	8	(hid\$3 conceal\$3 protect \$3) near5 ((source originat\$3 call\$3 send\$3 agent resource representative) adj3 (address id identification identit\$3)) same sip	USPAT; UPAD	OR	ON	2011/06/10 15:55
L20	10	(hid\$3 conceal\$3 protect \$3) near5 ((resource agent representative source originat\$3 call\$3 send\$3) adj3 (address id identification identit\$3)) and ((automatic\$3 near5 (call contact) near5 distribut\$3) acd	USPAT; UPAD	OR	ON	2011/06/10 15:56

L21	8	((hid\$3 conceal\$3 protect \$3) near5 ((source originat\$3 call\$3 send\$3 agent resource representative) adj3 (address id identification identit\$3)) same sip	USPAT; UPAD	OR	ON	2011/06/10 16:02
L24	1	(709/244).CCLS.	UPAD	OR	OFF	2011/06/10 16:04
L23	51	(370/389).CCLS.	UPAD	OR	OFF	2011/06/10 16:04
L22	21	(709/238).CCLS.	UPAD	OR	OFF	2011/06/10 16:04
L25	73	22 23 24	USPAT; UPAD	OR	ON	2011/06/10 16:05
L27	1	((automatic\$3 near5 (call contact) near5 distribut \$3) acd) and 25	USPAT; UPAD	OR	ON	2011/06/10 16:06
L26	0	((automatic\$3 near5 (call contact) near5 distribut \$3) acd) same (SIP) and 25	USPAT; UPAD	OR	ON	2011/06/10 16:06
L28	1009	379/265.01	USPAT; UPAD	OR	ON	2011/06/10 16:43
L38	0	(379/265.01).CCLS.	UPAD	OR	OFF	2011/06/10 16:59
L40	0	(379/265.13).CCLS.	UPAD	OR	OFF	2011/06/10 17:00
L39	4	(379/265.02).CCLS.	UPAD	OR	OFF	2011/06/10 17:00

6/ 10/ 2011 5:12:51 PM

C:\Documents and Settings\jpark\My Documents\EAST\Workspaces\ 10761012 1P ACD.wsp